

TICKETING SOLUTIONS

Ticket Office Printers
Self-service Ticket Printers
Special Options



[®]
CUSTOM

TICKET OFFICE PRINTERS

TK302 RFID RFID TICKET PRINTER

- Ethernet and web-printing server for remote printing/setting
- Very fast up to 200 mm/s printing speed
- High resolution version available printing 300 dpi (TK303)
- Different ticket width from 20 to 82.5 mm
- Ticket weight from 80 to 255g/m²
- 2 rows integrated display
- RS232 + USB + Ethernet interfaces
- 1D/2D barcodes printing capability (PDF417, DATAMATRIX, AZTEC, QRCODE)
- True Fonts support, any language available
- Highly reliable cutter: > of 2.000.000 cuts
- Sensors: fully adjustable bottom and top opto sensors for any ticket width. Ticket presence sensor
- SD card 2GB additional memory
- Dimensions: 252, 1 (L) x 192,6 (H) x 216 (W) mm
- Weight: 4Kg




Multi Feeder



Metal Stacker



New flat paper roll holder



*Vertical Stacker
and ejector*



Plastic Stacker



Rear Drawer

OPTIONS

- VeriPrint® printing head with integrated scanner unit (patented)
- Internal RFID HF/UHF encoder: multiple SAM management
- Triple paper stock feeder to manage three different rolls or fan-fold (3 lines version)
- Internal barcode scanner optimal for stock validation and fraud prevention
- Fan-fold paper support or paper roll holder
- Plastic or metal ticket tray

SOFTWARE FEATURES

- Total remote management by internal Web Server
- Automatic email sending for service purpose
- Remote logo and Font uploading (true type font)
- Drivers available in the printer flash disk
- Status Monitor
- Full Windows Status Monitor Driver
- Self-installing Driver for WinXP/Vista/7 (+64bit support)
- Linux Driver (C.U.P.S.) 32/64 bit compatible
- MACOSX Driver (C.U.P.S.)
- OPOS in Java and .NET Driver
- Virtual COM/USB SW emulator
- EasyMyfare SW to read/write data on MIFARE tag
- Ethlocator SW to search printers connected to the network and then configure parameters



Web server



B202H

TICKET AND WRISTBAND PRINTER

- Very fast up to 180 mm/sec printing speed
- Ticket weight from 80 to 180g/m²
- High durability due to the robust steel internal construction
- RS232 + USB interfaces
- 1D/ 2D barcodes printing capability (PDF417, DATAMATRIX, AZTEC, QR CODE)
- True Fonts support, any language available
- Cutter: > of 1.000.000 cuts
- Sensors: fully adjustable bottom opto sensor for any ticket width; top-opto sensor, center hole mark
- Dimensions WxLxH (mm): 133x194x155
- Weight: 2,8Kg



OPTIONS

- Internal RFID UHF encoder
- Paper roll holder
- Bracket to connect 2 printers

SOFTWARE FEATURES

- Self-installing driver for WinXP/Vista/7 (+64bit support)
- Status Monitor
- Customizable fonts and logos: LogoMake, FontMake, UpgCePrn



TICKET OFFICE PRINTERS

TK202

TICKET PRINTER

- Very fast up to 200 mm/s printing speed
- High resolution version available printing 300 dpi (TK203)
- Different ticket width from 20 to 82.5 mm
- Ticket weight from 80 to 255g/m²
- Heavy duty
- 2 rows integrated display
- RS232 + USB interfaces
- 1D/ 2D barcodes printing capability (PDF417, DATAMATRIX)
- True Fonts support, any language available
- 2 sides tear-off bar: reduced ownership cost, no wear on the cutter also with stickers
- Sensors: fully adjustable bottom and to opto sensors for any ticket width also for hole mark/translucid recognition
- Dimensions: 252,1 (L) x 192,6 (H) x 216 (W) mm
- Weight: 4Kg



OPTIONS

- Paper roll holder
- Paper guide for wristband

SOFTWARE FEATURES

- Self-installing Driver for WinXP/Vista/7 (+64bit support)
- Linux Driver (C.U.P.S.) 32/64 bit compatible
- Status Monitor
- Customizable fonts and logos: LogoMake, FontMake, UpgCePrn



Rear Drawer



New flat paper roll holder



iOS

Windows 8
Phone



TK180 METAL TICKET PRINTER

- Compact design
- Fast up to 200 mm/s printing speed
- Best print quality (200dpi or 300dpi)
- Powerful internal processor
- Hot swap function
- Different ticket width from 20 to 82.5 mm
- Ticket weight from 70 to 255g/m2
- 2 sides tear-off
- Suitable for roll receipt-type of paper printing
- LCD blue backlit embedded display
- Ethernet + RS232 + USB interfaces
- Bluetooth and Wi-Fi
- 1D/ 2D barcodes printing capability (PDF417,DATAMATRIX,AZTEC,QRCODE)
- True Fonts support, any language available
- Sensors: Head temperature, paper presence, mobile detectors of black mark or translucent gap/hole (setting by software), cover open, external low paper



OPTIONS

- Paper roll holder
- Bluetooth and Wi-Fi bolt-on

SOFTWARE FEATURES

- Self-installing drivers for Win XP, Win Vista, 7, 8 (32/64 bit compatible)
- WHQL Windows certified driver
- Linux driver (C.U.P.S.) 32/64 bit compatible
- Status monitor
- CePrinterSet software



TICKET OFFICE PRINTERS

TK180

TICKET PRINTER

- Very small: just 130 x 185 x 118 H mm (5,1" x 7,2" x 4,6"H)
- Fast up to 200 mm/s printing speed
- High resolution version available printing 300 dpi
- Different ticket width from 20 to 82.5 mm
- Ticket weight from 70 to 255g/m2
- Label management
- Suitable for roll receipt-type of paper printing
- Automatic paper calibration feature which activates at every paper loading setting the sensor and recovering the "first ticket" which is never wasted (printer environmental conscious)
- High readability display in strong ambient light
- Ethernet + RS232 + USB interfaces
- 1D/ 2D barcodes printing capability (PDF417, DATAMATRIX, AZTEC, QR CODE)
- True Fonts support, any language available
- 2 sides tear-off
- Sensors: Head temperature, paper presence, mobile detectors of black mark or translucent gap/hole (setting by software), cover open, external low paper
- Cables management and cover
- The smallest in the market
- Weight: 1,9 Kg



OPTIONS

- Paper roll holder

SOFTWARE FEATURES

- Self-installing drivers for Win XP, Win Vista, 7, 8 (32/64 bit compatible)
- WHQL Windows certified driver
- Linux driver (C.U.P.S.) 32/64 bit compatible
- Status monitor
- CePrinterSet software



OPTIONS AND ACCESSORIES

PC POS SYSTEMS WITH RECEIPT PRINTERS



CASH DRAWER

CUSTOMER
DISPLAY


DONGLE

RUGGED
SMARTPHONE

SPECIAL SOLUTIONS AND OPTIONS

PARKING AND TRANSPORT SYSTEM PP54

- Iso7811 ticket HD full graphic printing/scanning capability (300Dpi)
- 1D/2D Barcode reading to accept and validate the ticket
- Modular system (ticket separator and printing/reading unit)
- Able to work "stand alone", without any PCs
- Up to 3 coupons management
- Ticket ejecting/retracting/collecting
- Heavy outdoor conditions
- Full ticket scanning capability in 2 directions (in 4 directions optional)
- RGB led on paper mouth
- Paper rolls/fan fold
- RFID
- Plastic card management
- Dual feeder (optional)
- Buster/cutter



Combines in a
unique device:



ENTRANCE

*Printing, reading and
issuing tickets in less
than 1 second.*



PAYMENT

*Receipt printing.
Handles up to 2 coupons.*



EXIT

*Reading & Validating
ticket. Capturing &
Ejecting tickets.*

HEAVY DUTY motors for outdoor use: Operating T°:
-20°C > +60°C

EASY MAINTENANCE (thermal head, control board, paper
loading module, bezel, ..)

STANDARD ISO TICKET MANAGEMENT In/Out reading &
printing module system with detection of wrong ticket insertion

- Printing speed: less than 1 second
- 1D & 2D Barcode Print & Read capability Aztec, DataMatrix, PDF417, QRCODE
- Paper weight range: 140 > 210 gr/m2
- RS232 + Ethernet; USB as option (small board add-on)
- ALL International Fonts
- Zero Power Management (solar & battery application)
- Power supply: 24Vdc
- Windows and Linux Drivers
- SDK Development Kit
- It issues RFID tickets, long-term tickets, pre-paid cards
 - ISO 14443-A/B, ISO 14443 Part 4 Support (TCL Firmware)
 - MIFARE classic read/write
 - ISO 15693
 - NFC compatibility
- Double paper inlet (optional)
- Further CIS located on not thermal side for ticket serial number reading (optional)
- WiFi dongle (external)

MULTI BIN

Triple paper stock bin to manage three
kind of tickets.

- Increasing paper capability
- Flexibility of offered services
- Saving space on the desk
- Saving space in the self-service kiosk



Two working ways:

Single mode: it is possible to use the same kind of paper
for the three paper loadings available.

Mixed mode: it is possible to use a mix of different paper.
Reduced footprint through a single printer instead of 2.



SELF-SERVICE TICKET PRINTERS

KPM302

TICKET PRINTER

- 200dpi or 300dpi great printing quality
- Paper width from 20 to 82,5mm
- Speed > of 200mm/sec
- RS232 + USB + Ethernet interfaces
- 1D/ 2D barcodes printing capability (PDF417, DATAMATRIX, AZTEC, QR CODE)
- True Fonts support, any language available
- Highly reliable cutter: > of 2.000.000 cuts
- Sensors: black mark detector in 4 positions and traslucid gap/hole mark detector (setting by software); ticket presence sensor too
- SD card 2GB additional memory



OPTIONS

- VeriPrint® printing head with integrated scanner unit (patented)
- RFID version: multiple SAM management
- Triple paper stock feeder to manage three different rolls or fan-fold (3lines version)
- Internal barcode scanner optimal for stock validation and fraud prevention
- Burster kit/autocutter/tear off all selectable by the user
- Huge paper roll support with sensor
- Fan-fold paper support (front and back)
- Front Ejector
- Safety Key



*Triple paper
stock feeder*

SOFTWARE FEATURES

- Total remote management by internal Web Server
- Automatic email sending for service purpose
- Remote logo and Font uploading (true type font)
- Drivers available in the printer flash disk
- Status Monitor DLL
- Full Windows Status Monitor Driver
- Self-installing Driver for WinXP/Vista/7 (+64bit support)
- Linux Driver (C.U.P.S.) 32/64 bit compatible
- MACOSX Driver (C.U.P.S.)
- OPOS in Java and .NET Driver
- EasyMyfare SW to read/write data on MIFARE tag
- EthLocator SW to search printers connected to the network and then configure parameters



Web server



KPM150H TICKET PRINTER

- 200dpi best printing quality
- Paper width from 20mm to 54mm
- Paper weight from 80 to 180gsm
- Label management
- Speed > of 180mm/sec
- RS232 and USB interfaces
- 1D/ 2D barcodes printing capability (PDF417,DATAMATRIX,AZTEC,QRCODE)
- True Fonts support, any language available
- Highly reliable cutter: > of 1.000.000 cuts
- Sensors: fully adjustable bottom opto sensor for any ticket width;
top-opto sensor, traslucid gap; near paper end sensor
- High durability due to the robust steel internal construction



CUT&HOLD KIT

The printer is equipped with a Cut&Hold device as accessory, which avoids the ticket falling on the ground after print out.

SOFTWARE FEATURES

- Remote Status Monitor
- Self-installing driver for WinXP/Vista/7 (+64bit support)
- Customizable fonts and logos:
LogoMake, FontMake, UpgCePrnUpgCePrn




KPM180H TICKET PRINTER

- 200dpi or 300dpi best printing quality
- Paper width from 20mm to 82,5mm
- Paper weight from 70 to 255gsm
- Label management
- Speed > of 200mm/sec
- RS232 and USB interfaces
- 1D/2D barcodes printing capability (PDF417,DATAMATRIX,AZTEC,QRCODE)
- True Fonts support, any language available
- Tear off or cutter (1MI cuts) with dispenser (optional)
- Sensors: Head temperature, paper presence, mobile detectors of black mark or translucent gap/hole (setting by software), cover open, external low paper
- The smallest in the market
- SNAP -IN power supply connector and ON /OFF button
- Back connections, feed and print buttons, both in front and back
- Hot swap function
- Optional heavy duty autocutter with motorized Cut&Hold/Ejector Mechanism

SOFTWARE FEATURES

- Remote Status Monitor
- Self-installing drivers for Win XP, Win Vista,7, 8 (32/64 bit compatible), Linux Driver (C.U.P.S.) 32/64 bit compatible
- CePrinterSet software
- CUSTOM operating system



RFID UHF
module



SPECIAL SOLUTIONS AND OPTIONS

VERIPRINT® TECHNOLOGY

Printing head with integrated scanner.


- Read the barcode on the ticket
- Verify the correct printing
- Save the image



The VeriPrint® system makes a print and save in real time of the digital image of the issued ticket. During the ticket printing phase, the embedded scanner automatically takes the ticket's image. This image can be memorized inside the printer in a mass memory (MMC, SD) or can be sent to the remote host.

BENEFITS

- Automatic storage of the tickets' images in local databases for future sending to the central server
- Retrieval of the original and compliant ticket image for possible objections
- Costs reduction of printed paper
- Check of the correct issuing of printed document
- Images capture from remote host through a Web Browser (Ethernet version)



RFID TECHNOLOGY

- Both HF - short distance - and UHF - long distance.
- Same printing module for the OFFICE and for the KIOSK => easy to integrate in sw platforms
- Multifeder available for handling RFID tickets and standard paper => multi tickets support
- Built-in 3 SAM management=> higher security in less space
- HIGH MTBF => low ownership cost



STANDARD SUPPORTED

HF

- MIFARE
- ISO 14443A (Mifare 1K, 4K and Ultralight)
- ISO 15693
- i-Code
- ISO 14443B
- Calypso, FeliCa
- other minor RFID standards

APPLICATIONS

HF

- Transportation
- Payment
- Identification and management of documents (for archives and libraries) and people (patients in hospital)
- Toll roads and parking

UHF

- ETSI standard, fully compliant to the European Regulation ETSI EN 302 280 (869.525 MHz)
- FCC standard, fully compliant to the US telecommunication regulation FCC part 15 (902-928 MHz)
- ISO 18000-6B
- Philips UCODE EPC 1.19
- EPC Class1 Gen2 / ISO 18000-6C

UHF

- Aviation: bag tags
- Logistics: labelling
- Medical: wristbands
- Events: tickets / wristbands

SOLUTIONS FOR RAILWAYS



- Triple feeder module
- KPM302 printer with Veriprint®



- Triple feeder module
- KPM302 printer with Veriprint®
- Bundler



Ticket validation unit

RECEIPT PRINTERS

VKP80III

- Paper width from 50 to 82.5mm
- Speed > of 250mm/sec
- Automatic ticket ejecting & retracting back
- Retracting function w/o ticket presentation (patented)
- RS232 and USB 2.0 full speed interfaces
- 1D/ 2D barcodes printing capability
- Long life printing head (200Km)
- Highly reliable cutter
- Patented anti-jamming system with clean command
- Illuminated paper bezel
- Outdoor applications: -20/+ 70°C working temperature
- Hot swap function
- Shutter for out-dor (optional)



VKP80II SX

- Paper width from 60 to 82.5mm
- Speed > of 220mm/sec
- Automatic ticket ejecting & retracting back
- High power motor feeder for huge paper roll
- RS232+USB / RS232+USB+Ethernet interfaces
- 1D/ 2D barcodes printing capability
- Highly reliable cutter: > of 1.500.000 cuts
- Illuminated paper bezel
- Patented anti-jamming system
- Outdoor applications: -20/+ 70°C working temperature
- Shutter for out-dor (optional)



TG2480H / TG2480H-EJ

- Paper width 80mm
- Speed > of 150mm/sec
- Up to 90mm paper roll diameter
- RS232 and USB interfaces
- Available version with motorized ejector (TG2480H-EJ)
- 1D/ 2D barcodes printing capability
- International fonts on board: any language available
- Patented anti-jamming system



TG2460H CUTTER

- Paper width 60mm
- Speed > of 140mm/sec
- Up to 120mm paper roll diameter
- RS232 and USB interfaces
- 1D/ 2D barcodes printing capability (QR CODE)
- Patented anti-jamming system
- Outdoor applications: -20/+ 70°C working temperature





CUSTOM S.p.A.

Operations and R&D

Via Berettine, 2 43010 Fontevivo, **Parma** ITALY
Tel. +39 0521 680111 Fax +39 0521 610701
info@custom.biz www.custom.biz

Company Management

Via Enrico Fermi, 4 43010 Castelguelfo, **Parma** ITALY

Logistics Hub

Via Lisbona, 5
43010 Interporto di Fontevivo, **Parma** ITALY

Sales and Service Network

Europe

CUSTOM MILAN

Via Tognasca, 7 21013 Gallarate, **Varese** ITALY
Tel. +39 0331 706890 Fax +39 0331 706891

CUSTOM TREVISO

Via Callalta, 31/E 31100 **Treviso**, ITALY
Tel. +39 0422 363335 Fax +39 0422 363371

CUSTOM GmbH

Bleidenstrasse 6-10 60311 **Frankfurt am Main**, GERMANY
Tel. +49 (0) 176 668 49005 Fax + 49 69 297238899

CUSTOM STIMARE UK & IRELAND

4 Bramber Court Bramber Road, **London**
W14 9PW UNITED KINGDOM
Tel. +44 208 0998071

Units 5 & 6 Ballylw altrin Business Park
Boghall Road Bray Co. **Wicklow** IRELAND
Tel. +353 14429320 Fax +353 12761816

CUSTOM RUSSIA CIS & BALTIC

20, bldg.36, 1st Graivoronovskiy st.109518
Moscow RUSSIA
Tel. +7 495 956 9336 Fax +7 495 956 9336

Americas

CUSTOM AMERICA INC.

12 Creek Parkway, Suite 100 **Boothwyn**, PA 19061
Tel +1 302 384 6931 Fax +1 302 691 5770

CUSTOM ARGENTINA

Av. Del Libertador 18.025 - 1643 Beccar,
P.cia **Buenos Aires** ARGENTINA
Tel. +54 11 53539841 Fax +54 11 53539841

CUSTOM NITERE BRASIL

Rodovia Br-459, km 124.1 - Distrito Industrial,
Santa Rita do Sapucaí, MG-CEP 037540-000 BRAZIL
Tel. +55 35 3471 0500 Fax +55 35 3471 0500

Rua Joao de Souza dias, 316 - Campo Belo,
Sao Paulo, SP-CEP 04618-001 - BRAZIL
Tel. +55 11 2384 9984 Fax +55 11 2384 9984

Middle East

CUSTOM UAE

Office 105, Al Husn Tower, King Faisal Street,
Sharjah, U.A.E.
Tel. +971 6 550 6821

Asia Pacific

CUSTOM INDIA

117,Midas, Sahar Plaza Andheri Kurla Road,
Andheri East **Mumbai** 400059
Tel. +919870137778

CUSTOM HANINDO CHINA

Room 3204 -3205, Tower B, City Center, No. 100
Zunyi Rd, Changning district, **Shanghai**, CHINA
Tel. +86 21 6237 0600 Fax +86 21 6237 0598

Room 1005 -1006 Haosheng plaza, No. 68 Dongbi
Rd, Nanshan district, **Shenzhen**, CHINA
Tel. +86 755 8659 9823 Fax +86 755 8665 2653

Room 612, Tower 6, Guan Lu Yuan Zhong Li,
Chaoyang district, **Beijing**, CHINA
Tel: +86 10 6544 7307 Fax: +86 10 6544 7307

CUSTOM HANINDO SEA

Jl. Fatmawati Raya No. 55, **Jakarta** Selatan –
12410 INDONESIA
Tel. +62 21 7590 0909 Fax +62 21 759 00 808

CUSTOM HANINDO PHILIPPINES

900A Vicente Madrigal Bldg. 1226
Ayala Ave. **Makati City**, PHILIPPINES
Tel: (63 2)-844 5480

CUSTOM HANINDO THAILAND

Nirvana@Work Kaset-Nawamin
343/7-8 Moo 9 Klongkum Bungkum
Bangkok 10230, THAILAND
Tel. +66 (0) 2-106-5999 - Fax +66 (0) 2-106-5998

CUSTOM HANINDO SINGAPORE

16 Jalan Kilang Timor #03-02 Redhill Forum
Singapore, 159308, SINGAPORE
Tel. +65 6908 0281 - Fax +65 6274 2103

Africa

CUSTOM SOUTH AFRICA

Unit 13 Meadowbrook Business Park
Jacaranda Street **Olivedale**, Randburg SOUTH AFR
Tel. 011-462-0984 / 0426 Fax 0866 104 182

ITALIAN
DESIGN